

**A REAPPRAISAL OF THE PLEISTOCENE MAMMALS FROM THE KARST INFILLING
DEPOSITS OF THE MAGLIE AREA (LECCE, APULIA, SOUTHERN ITALY)**

BENIAMINO MECOZZI, LUCA BELLUCCI, FRANCESCA GIUSTINI,
ALESSIO IANNUCCI, DAWID ADAM IURINO, ILARIA MAZZINI, FLAVIA STRANI
& RAFFAELE SARDELLA

SUPPLEMENTARY MATERIAL



Fig. SD1 – Right radius of a young individual of *Stephanorhinus hemitoechus* (SSND147) from San Sidero with rodent gnaw marks (a). Fragment of left tibia (MPND556; b), fragment of right tibia (MPND557; c) and fragment of right calcaneum (MPND464; d) of *Bos primigenius* with bite marks. Scale bar 3 cm.




Fig. SD2 – Postcranial remains of *Bos primigenius* previously referred to *Bison prisus* by Bologna & Petronio (1994): a, MPND522, right metatarsal in anterior (1) and posterior (2) views; b, MPND457, right calcaneus in medial (1) and posterior (2) views; c, MPND909, right astragalus in anterior (1) and posterior (2) views; MPND471 left naviculocuboid in proximal (1) and distal (2) views. Scale bar 3 cm.

