

CONTENTS

LAMBDIN P., HENDERSON R., COOK L. - Report on ISSIS-IX and related activities	Page 5
MILLER D.R., PELLIZZARI G. - Evelyn M. Danzig: a powerful force in scale insect systematic	» 11
General	
MILLER D.R., BEN-DOV Y., GIMPEL M.E., GERMAN V., GIBSON G.A.P. - Recent enhancements in ScaleNet: A queriable systematic database of the scale insects of the world	» 19
LEDDEL M.N. - Multi-discipline and multi-grade lessons in the study of <i>Dactylopius</i> (Homoptera: Coccoidea: Dactylopiidae).....	» 29
Morphology and systematics	
WILLIAMS M.L., KONDO T. - Characteristics of First-instar Nymphs in the Soft Scale Insects (Hemiptera: Coccidae): Surprising Indicators of Relationships	» 35
GHABBOUR M.W., HODGSON C.J. - The immature stages of <i>Pulvinaria tenuivalvata</i> (Newstead) (Hemiptera: Coccidae).....	» 43
JANSEN M.G.M. - Instar identification and some notes about the life cycle of <i>Rhizococcus hibisci</i> Kawai & Takagi (Coccoidea: Pseudococcidae).....	» 53
LAMBDIN P.L. - Wings of Male Scale Insects (Coccoidea).....	» 67
PODSIADLO E. - A discussion on the location of the anterior and posterior thoracic spiracles on Coccinea	» 73
DE MARZO L., MAROTTA S. - Anatomy of the alimentary canal in female Coccoidea: an iconographic review.....	» 77
PORCELLI F., DI PALMA A. - Formation of the monomerous female antenna in <i>Diaspis echinocacti</i> (Bouché) 1833 (Rhynchota Diaspididae). I. The second instar antenna	» 85
FONTANA P., MALAGNINI V. - A new species of the genus <i>Lecanopsis</i> Targioni Tozzetti, 1868 (Hemiptera: Coccoidea: Coccidae) from the Italian peninsula: description and remarks on its life history.....	» 111
KONDO T., WILLIAMS M.L. - The Myzolecaniinae (Hemiptera: Coccidae): Old World vs. New World	» 125
HODGSON C. - Preliminary phylogeny of some non-margarodid Coccoidea (Hemiptera) based on adult male characters.....	» 129
STUMPF C.F., LAMBDIN P.L. - Distribution and phylogenetic relationships of native and introduced pit scales (Hemiptera: Coccoidea: Asterolecaniidae) in North and South America	» 139
NORMARK B. - Genetic conflict and the dizygotic soma: on the adaptive significance of polar body transmission and the polyploid bacteriome in Pseudococcidae and Diaspididae	» 151

DANZIG E.M. - Taxonomic status of <i>Phenacoccus transcaucasicus</i> Hadz. (= <i>Ph. mespili sensu</i> Borchsenius, 1949) and its intraspecific variability (Homoptera, Coccinea, Pseudococcidae).....	» 161
GULLAN P.J., COOK L.G. - <i>Phenacoleuchia</i> Cockerell (Hemiptera: Coccoidea: Phenacoleachiidae) re-visited	» 163
WARSON G. - A pictorial key to important Diaspididae (Hemiptera: Coccoidea) of the world	» 175
PELIZZARI G., FONTANA P. - The genus <i>Lecanopsis</i> Targioni Tozzetti (Hemiptera Coccidae): present status and remarks on species identification	» 179
PORCELLI F. - On the term describing the post-embryonic development of Diaspididae female (Sternorrhyncha Coccoidea)	» 189
KOZÁR F., FOLDI I. - The water scale insects of the forming the mysterious family Carayonemidae (Hemiptera: Coccoidea)	» 197

Special session on systematics

KOSZTARAB M. - Are Scale Insects in the Homoptera or Hemiptera; do they comprise a Superfamily or a Suborder?	» 203
LAMBIN P.L. - Discourse on the classification of the Scale Insects	» 209
GULLAN P.J., MILLER D.R. - Do we need to change the rank of the higher taxa of Scale Insects? (Hemiptera: Sternorrhyncha: Coccoidea)? (abstract).....	» 215
KERZHNER I., DANZIG E. - Hemiptera, Homoptera, Sternorrhyncha (abstract).....	» 217

Zoogeography and faunistics

KARSAVURAN Y., AKSIT T., BAKIRIOGLU ERKILIC L. - Coccoidea species on fruit trees and ornamentals from Aydin and Izmir provinces of Turkey	» 219
GILLOMEE J.H., BEN-DOV Y. - Interesting South African Scale Insects (Hemiptera: Coccoidea)	» 227
MAROTTA S., VAN HARTEN A., MAHYOUB M. - Mealybugs found on agricultural crops in Yemen	» 233
LAGOWSKA B. - Zoogeographical analysis of the scale insect fauna of Poland.....	» 239
PORTILLO L., VIGUERAS A.L. - The genus <i>Dactylopius</i> (Homoptera: Dactylopiidae) and its hosts in Jalisco, Mexico	» 249
KAYDAN M.B., ULGENTURK S., TOROS S., KOZÁR F. - Scale insects (Homoptera: Coccoidea) of natural and agriculture areas in Kapadokya, Turkey	» 253

Biology, monitoring and population dynamics

COOK L.G., GULLAN P.J. - Longevity and reproduction in <i>Apiomorpha Rübsaamen</i> (Hemiptera: Sternorrhyncha: Coccoidea)	» 259
TAWFIK M.H., MOHAMMAD Z.K. - Ecological studies of two scale insects (Hemiptera, Coccoidea) on <i>Morus alba</i> in Egypt	» 267
ZADA A., DUNKELBLUM E., ASSAEL F., HAREL M., COJOCARU M., MENDEL Z. - Identification of a second sex pheromone component of the Vine Mealybug	» 275

GROSS S., DUNKELBLUM E., ASSAEL F., HAREL M., ZADA A., MENDEL Z. - Characterization of the performance of pheromone traps as a basis for the management of the Citrus Mealybug <i>Planococcus citri</i> (Risso) in Citrus groves	» 283
FRANCO J.C., RUSSO A., SUMA P., SILVA E.B., MENDEL Z. - Monitoring strategies for the Citrus Mealybug in Citrus orchards	» 297
SUMA P., RUSSO A., DUNKELBLUM E., ZADA A., MENDEL Z. - Pheromonal and kairomonal activity of <i>Planococcus citri</i> pheromone and some of its analogs	» 305
KARACA I., UYGUN N., ELEKÇIOĞLU N. Z., SENAL D. - Population development of <i>Aonidiella aurantii</i> (Maskell) and <i>Parlatoria pergandii</i> Comstock (Homoptera: Diaspididae) in the Çukurova Region of Turkey	» 313

Scales of economic importance

BRANCO M., BRITO O., JACTEL H., MENDEL Z., FRANCO J.C. - Seasonal history of the Maritime Pine Bast Scale <i>Matsucoccus feytaudi</i> Ducasse (Hemiptera: Matsucoccidae) in Portugal	» 319
MORI N., PELLIZZARI G., TOSI L. - <i>Ceroplastes ceriferus</i> (Fabricius) (Hemiptera, Coccoidea): new pest of ornamentals in Europe?	» 331
KONDO T., ESATO T., KAWAI S. - <i>Phenacoccus madeirensis</i> Green (Hemiptera: Pseudococcidae), a recently introduced exotic pest in Japan	» 337
DALLA MONTÀ L., DUSO C., MALAGNINI V. - Current status of scale insects (Hemiptera: Coccoidea) in the Italian vineyards	» 343
YASNOSH V., RTSKHILADZE M., TABATADZE E. - Coccids (Hemiptera, Coccinea) and their natural enemies in the vineyards of Georgia: present situation	» 351
ÜLGENTÜRK S., KAYDAN M.B., ZEKE C., TOROS S. - <i>Sphaerolecanium prunastri</i> Boyer de Fonscolombe (Hemiptera: Coccidae): distribution, host plants and natural enemies in the Turkish Lake district	» 357
LAGOWSKA B., GOLAN K. - The scale insects (Hemiptera: Coccoidea) of economic importance in the Kazimierz Landscape Park in Poland	» 365
MAZZONI E., CRAVEDI P. - Observations on the overwintering and winter mortality of the San Jose scale in fruit orchards in Emilia Romagna (Northern Italy)	» 373

Natural enemies: biology and host interaction

BLUMBERG D., FRANCO J.C., SUMA P., RUSSO A., MENDEL Z. - Parasitoid encapsulation in mealybugs (Hemiptera: Pseudococcidae) as affected by the host-parasitoid association and superparasitism	» 385
BRANCO M., FRANCO J.C., CARVALHO C.J., MENDEL Z. - Occurrence of <i>Hemerobius stigma</i> Stephens in pine bast scale (<i>Matsucoccus</i> spp.) populations: opportunistic predation or obligatory association?	» 397
NELSON D.J., LAMBDIN P. L., GRANT J.F., MENDEL Z. - Predators attracted to the sex pheromones of <i>Matsucoccus</i> spp. (Margarodidae) in pine dominated forests	» 409
PANIS A. - Hymenopteran parasitoids of <i>Saissetia oleae</i> (Olivier) (Hemiptera, Coccidae) and associated insects in southern France	» 417

SENAL D., KARACA I., UNDAG H. - Storage possibilities of scale insect predator <i>Chilocorus bipustulatus</i> (L.) eggs at different temperatures	» 427
SISCARO G., MAZZEO G., ZAPPALÀ L. - The parasitoid complex of <i>Scythia aethnensis</i> Russo & Longo (Hemiptera, Coccidae) in Italy	» 435

Scale insect pest control

WAGGARI W.M., GILLOMEE J.H. - Potentials and prospects of the Integrated Pest Management of <i>Ceroplastes destructor</i> Newstead (Hemiptera: Coccidae) in citrus orchards in South Africa	» 443
GAULIER A., MENASSIEU P., HOGUET F., JACTEL H. - Towards a silvicultural method of pest control for <i>Matsucoccus feytaudi</i> Ducasse (Hemiptera: Margarodidae) the Maritime pine bast scale	» 445
JAPOSHVILI G. - Coccoid pests of plantings and the role of parasitoids in their number regulation in Tbilisi	» 467
ABD-RABOU S. - The effect of augmentative releases of indigenous parasitoids on populations of <i>Parlatoria oleae</i> (Colvée) (Hemiptera: Coccoidea) on olive groves in Egypt	» 473
ABD-RABOU S. - Biological control of the Mediterranean black Scale <i>Saissetia oleae</i> (Olivier) (Hemiptera: Coccidae) on olive in Egypt (abstract)	» 483
MAZZEO G., LONGO S., BENFATTO D., PALMERI V., DI LEO A. - Trials of biological control of <i>Aonidiella aurantii</i> Maskell (Hemiptera, Coccoidea) in citrus groves in Italy	» 485
CIVOLANI S., PASQUALINI E. - Control of overwintering <i>Quadraspidiotus perniciosus</i> (Comstock) on pome fruits in northern Italy (Emilia-Romagna region)	» 489
CHKHAIDZE L., YASNOSH V. - The Dictyospermum scale <i>Chrysomphalus dictyospermi</i> (Morgan) (Coccinea: Diaspididae), pest of fruit and ornamental plants in the Black Sea coast of Georgia: a review	» 495

Posters

CHARLES J.G., HENDERSON R.C. - The exotic armoured scale insects in New Zealand	» 503
GERMAIN J.F. - Scale insects (Homoptera : Coccoidea) from import interception in France (1997-2001)	» 504
GONZÁLEZ R.H., CLAPS L.E. - A revision of the Diaspididae of Chile (Hemiptera: Coccoidea) with descriptions of new genera and species	» 505
KOTEJA J. - Essays on coccids (Sternorrhyncha: Coccinea): do scale insects pierce own sisters?	» 506
MILLER G.L., MILLER D.R., WATSON G.W. - Mealybug invasions, a threat to plants everywhere	» 507
LONGO S., MAZZEO G., PALMERI V., BENFATTO D., MAURELLO S., DI LEO A. - New remarks on the distribution and biology of <i>Aonidiella citrina</i> (Coquillett) (Hemiptera, Coccoidea) in Italy	» 508

PORCELLI F., PIZZA M., PELLIZZARI G. - The recovery of a forgotten copy of "Chermoteca Italica"	» 510
PROVENCHER L. - Is <i>Aspidiotus nerii</i> Bouché a complex of multiple biotypes of sexual and asexual lineages within a single species?	» 512
SIATHAS G.J., KAVALLIERATOS N.G., ELIOPOULOS P.A. - The Wax scale <i>Ceroplastes sinensis</i> Del Guercio on Citrus in Central Greece.....	» 513
SZKLARZEWICZ T. - Structure of ovaries in scale insects (Hemiptera, Coccinea)...	» 514
VAHEDI H.A., HODGSON C.J. - A study of a species of <i>Lithophyllus</i> (Coleoptera: Coccinellidae), a predator of <i>Porphyrophora</i> species (Hemiptera: Coccoidea: Margarodidae) from Iran	» 515
VAHEDI H.A., HODGSON C.J. - A brief review of the characters and character-states for separating species of <i>Porphyrophora</i> (Hemiptera: Coccoidea: Margarodidae)	» 516
VOGELGESANG M., SZKLARZEWICZ T. - Egg envelopes in scale insects (Hemiptera, Coccinea)	» 517
WOLFF V.R.S., BERNARDI J.M., COSTA M.K.M., MENEZES A.O JR., PRADÉ C.A., PULZ C.E., SILVA D.C. - Natural enemies of armored scale insects (Hemiptera: Diaspididae) in Citrus orchards in Rio Grande do Sul, Brazil	» 518
List of participants and addresses	» 519